according to Regulation (EC) No. 1907/2006

Chemetall

Ardrox 3140

Version: 5.0 Revision Date 04.06.2013 Print Date 04.06.2013

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Ardrox 3140

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Corrosion inhibitor

stance/Mixture

Recommended restrictions : None known.

on use

1.3 Details of the supplier of the safety data sheet

Company : Chemetall Ltd

Denbigh Road

Bletchley Milton Keynes MK1 1PB

Telephone : 01908 649333 Telefax : 01908 373939

Contact person product safety

Telephone : +49(0)6971652832 E-mail address : msds.de@chemetall.com

1.4 Emergency telephone number

Emergency telephone : 01908 649333

number

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 3 H226: Flammable liquid and vapour. Eye irritation, Category 2 H319: Causes serious eye irritation.

Aspiration hazard, Category 1 H304: May be fatal if swallowed and enters air-

ways.

Classification (67/548/EEC, 1999/45/EC)

Flammable R10: Flammable. Irritant R36: Irritating to eyes.

R66: Repeated exposure may cause skin dryness

or cracking.

according to Regulation (EC) No. 1907/2006

Chemetall

Ardrox 3140

Version: 5.0 Revision Date 04.06.2013 Print Date 04.06.2013

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms







Signal word : Danger

Hazard statements : H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters air-

ways.

H319 Causes serious eye irritation.

: EUH066 Repeated exposure may cause skin dry-

ness or cracking.

Precautionary statements : Prevention:

P210 Keep away from heat/sparks/open

flames/hot surfaces. - No smoking.

P260 Do not breathe dust/ fume/ gas/ mist/ va-

pours/ spray.

P262 Do not get in eyes, on skin, or on clothing.
P280 Wear protective gloves/ protective clothing/

eye protection/ face protection.

Response:

P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do

NOT induce vomiting.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with wa-

ter for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

P308 IF exposed or concerned:

P310 Immediately call a POISON CENTER or

doctor/ physician.

Disposal:

P501 Dispose of contents/ container to an ap-

proved waste disposal plant.

Hazardous components which must be listed on the label:

• 64742-48-9 Naphtha (petroleum), hydrotreated heavy (benzene < 0,1 %)

Labelling according to EC Directives (1999/45/EC)

according to Regulation (EC) No. 1907/2006

Chemetall

Ardrox 3140

Version: 5.0 Revision Date 04.06.2013 Print Date 04.06.2013

Hazard pictograms

×

Irritant

R-phrase(s) : R10 Flammable.

R36 Irritating to eyes.

R66 Repeated exposure may cause skin dry-

ness or cracking.

S-phrase(s) : S 9 Keep container in a well-ventilated place.

S16 Keep away from sources of ignition - No

smoking.

S23 Do not breathe gas/fumes/vapour/spray.

S24/25 Avoid contact with skin and eyes.

S37/39 Wear suitable gloves and eye/face protec-

tion.

2.3 Other hazards

The information required is contained in this Material Safety Data Sheet.

SECTION 3: Composition/information on ingredients

3.1 Substances

not applicable

3.2 Mixtures

Chemical nature : Mixture of organic solvents.

Hazardous components

Chemical Name	CAS-No. EC-No. Registration num- ber	Classification (67/548/EEC)	Classification (REGULATION (EC) No 1272/2008)	Concentration [%]
Paraffin waxes and Hydrocarbon waxes, oxidized, calcium salts	68476-81-3 270-701-6	Xi; R36	Eye Irrit. 2; H319	>= 25 - < 50
Naphtha (petroleum), hydrotreated heavy (benzene < 0,1 %)	64742-48-9 265-150-3 01-2119463258-33	R10 Xn; R65	Asp. Tox. 1; H304	>= 25 - < 50
		R66	Flam. Liq. 3; H226	

according to Regulation (EC) No. 1907/2006

Chemetall

Ardrox 3140

Version: 5.0 Revision Date 04.06.2013 Print Date 04.06.2013

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics	919-857-5 01-2119463258-33	Nota H, Nota P R10 Xn; R65 R66 R67 Nota H, Nota P	Flam. Liq. 3; H226 Asp. Tox. 1; H304 STOT SE 3; H336	>= 2.5 - < 10
Benzenesulfonic acid, C20-48-alkyl derivs., sodium salts	68555-09-9 271-414-9	R53	Aquatic Chronic 4; H413	>= 2.5 - < 10

For the full text of the R-phrases mentioned in this Section, see Section 16. For the full text of the H-Statements mentioned in this Section, see Section 16. For the full text of the Notas mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : First-aid crew: Ensure self-protection.

Move out of dangerous area.

Take off contaminated clothing and shoes immediately.

If inhaled : Move to fresh air.

If symptoms persist, call a physician.

In case of skin contact : Wash off with soap and plenty of water.

If symptoms persist, call a physician.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids.

Consult a physician.

If swallowed : Rinse mouth with water.

Do NOT induce vomiting. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : No information available.

according to Regulation (EC) No. 1907/2006

Chemetall

Ardrox 3140

Version: 5.0 Revision Date 04.06.2013 Print Date 04.06.2013

Risks : Aspiration hazard.

irritant effects

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

For specialist advice physicians should contact the Poisons

Information Service.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Carbon dioxide (CO2)

Dry powder

Alcohol-resistant foam

Water spray

Unsuitable extinguishing

media

: High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

: May form toxic gases on heating or in case of fire.

Carbon monoxide Carbon dioxide (CO2) Sulphur oxides

5.3 Advice for firefighters

for firefighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

Further information : Use water spray to cool unopened containers.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Wear personal protective equipment.

6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system.

Avoid subsoil penetration.

6.3 Methods and materials for containment and cleaning up

: Ensure adequate ventilation. Methods for cleaning up

> Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite)

according to Regulation (EC) No. 1907/2006

Chemetall

Ardrox 3140

Version: 5.0 Revision Date 04.06.2013 Print Date 04.06.2013

and transfer to a container for disposal according to local /

national regulations (see section 13).

6.4 Reference to other sections

See chapter 8 and 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

: Provide sufficient air exchange and/or exhaust in work rooms. Advice on safe handling

Have eye wash bottle or eye rinse ready at the work place.

Advice on protection against

fire and explosion

: Keep away from sources of ignition - No smoking.

Normal measures for preventive fire protection.

Take precautionary measures against static discharges.

Vapours may form explosive mixtures with air.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage

areas and containers

: Keep containers tightly closed in a dry, cool and well-

ventilated place.

Store in a place accessible by authorized persons only.

Protect from direct sunlight.

Protect from frost.

: 36 month Storage period

: 15 - 30 °C Storage temperature

7.3 Specific end uses

Specific use(s) : Corrosion inhibitor

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

DNEL/DMEL

Hydrocarbons, C9-C11, n-

< 2% aromatics

alkanes, isoalkanes, cyclics,

: End Use: DNEL, Industrial use, Workers

Exposure routes: Skin contact

Potential health effects: Long-term systemic effects

Value: 208 mg/kg bw/d

according to Regulation (EC) No. 1907/2006

Chemetall

Ardrox 3140

Version: 5.0 Revision Date 04.06.2013 Print Date 04.06.2013

End Use: DNEL, Industrial use, Workers

Exposure routes: Inhalation

Potential health effects: Long-term systemic effects

Value: 871 mg/m3

8.2 Exposure controls

Engineering measures

Ensure adequate ventilation, especially in confined areas.

Electrical equipment should be protected to the appropriate standard.

Use only explosion-proof equipment.

Personal protective equipment

Respiratory protection : In case of insufficient ventilation wear suitable respiratory

equipment.

Recommended Filter type:

A-P2

Hand protection : Nitrile rubber

butyl-rubber

Protective gloves complying with EN 374.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of

cuts, abrasion, and the contact time.

Eye protection : Eye protection (EN 166)

Tightly fitting safety goggles

Skin and body protection : Chemical resistant protective clothing according to DIN EN

13034 (Type 6)

Hygiene measures : Take off contaminated clothing and shoes immediately.

Keep away from food, drink and animal feedingstuffs.

Wash hands before breaks and immediately after handling the

product.

Avoid contact with skin and eyes.

Do not breathe vapour. Do not breathe spray.

Environmental exposure controls

General advice : Do not flush into surface water or sanitary sewer system.

Avoid subsoil penetration.

according to Regulation (EC) No. 1907/2006

Chemetall

Ardrox 3140

Version: 5.0 Revision Date 04.06.2013 Print Date 04.06.2013

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

: liquid Appearance Colour : brown

Odour : hydrocarbon-like

Flash point : 45 °C

Boiling point/boiling range : > 155 °C

Density : 0.86 g/cm3

at 20 °C

Water solubility : practically insoluble

: > 7 mm2/SViscosity, kinematic

at 40 °C

9.2 Other information

: Vapours may form explosive mixture with air. Explosivity

Directive 1999/13/EC on the : Value: 387 g/l limitation of emissions of volatile organic compounds

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : None known.

10.4 Conditions to avoid

according to Regulation (EC) No. 1907/2006

Chemetall

Ardrox 3140

Version: 5.0 Revision Date 04.06.2013 Print Date 04.06.2013

: To avoid thermal decomposition, do not overheat. Conditions to avoid

Keep away from open flames, hot surfaces and sources of

ignition.

10.5 Incompatible materials

Materials to avoid : Strong oxidizing agents

10.6 Hazardous decomposition products

Risk of decomposition. : No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Acute oral toxicity

Naphtha (petroleum), hy-

drotreated heavy (benzene < Species: rat

0,1 %)

Hydrocarbons, C9-C11, n- : LD50: > 5,000 mg/kg

alkanes, isoalkanes, cyclics,

< 2% aromatics

: LD50: > 5,000 mg/kg

Species: rat

Method: OECD Test Guideline 401

Acute dermal toxicity

Naphtha (petroleum), hy: LD50: > 2,000 mg/kg drotreated heavy (benzene < Species: rabbit

0,1 %)

Hydrocarbons, C9-C11, nalkanes, isoalkanes, cyclics,

< 2% aromatics

: LD50: > 5,000 mg/kg

Species: rabbit

Method: OECD Test Guideline 402

Skin corrosion/irritation

Skin irritation : May cause skin irritation in susceptible persons.

Serious eye damage/eye irritation

Eye irritation : Causes serious eye irritation.

Respiratory or skin sensitisation

Sensitisation : no data available

according to Regulation (EC) No. 1907/2006

Chemetall

Ardrox 3140

Version: 5.0 Revision Date 04.06.2013 Print Date 04.06.2013

Teratogenicity

Hydrocarbons, C9-C11, n- : Spec

alkanes, isoalkanes, cyclics,

< 2% aromatics

: Species: rat

Animal testing did not show any effects on foetal develop-

ment

Aspiration hazard

Aspiration toxicity : May be fatal if swallowed and enters airways.

Toxicology Assessment

Repeated dose toxicity : Repeated exposure may cause skin dryness or cracking.

SECTION 12: Ecological information

12.1 Toxicity

Ecotoxicology studies for the product are not available.

Toxicity to fish

 $\label{eq:hydrocarbons} \mbox{ Hydrocarbons, C9-C11, n-} \qquad : \mbox{ Limit Test LC50: } > 1,000 \mbox{ mg/l}$

alkanes, isoalkanes, cyclics, Exposure time: 96 h

< 2% aromatics Species: Oncorhynchus mykiss (rainbow trout)

Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates

Hydrocarbons, C9-C11, n- : Limit Test EC50: > 1,000 mg/l

alkanes, isoalkanes, cyclics, Exposure time: 48 h

< 2% aromatics Species: Daphnia magna (Water flea)

Method: OECD Test Guideline 202

12.2 Persistence and degradability

Biodegradability : no data available

12.3 Bioaccumulative potential

Bioaccumulation : Bioaccumulation is unlikely.

12.4 Mobility in soil

Distribution among environ: no data available

according to Regulation (EC) No. 1907/2006

Chemetall

Ardrox 3140

Version: 5.0 Revision Date 04.06.2013 Print Date 04.06.2013

mental compartments

12.5 Results of PBT and vPvB assessment

This mixture does not contain substances considered to be persistent, bioaccumulating and toxic (PBT)., This mixture does not contain substances considered to be very persistent and very bioaccumulating (vPvB).

12.6 Other adverse effects

Additional ecological informa: slightly water endangering

Do not flush into surface water or sanitary sewer system.

Avoid subsoil penetration.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations.

Contaminated packaging : Dispose of as unused product.

Waste Code : Waste codes should be assigned by the user, preferably in

discussion with the waste disposal authorities.

SECTION 14: Transport information

ADR

UN number : 3295

HYDROCARBONS, LIQUID, N.O.S., Naphtha (petroleum), UN proper shipping name

hydrotreated heavy; Low boiling point thermally cracked naph-

tha

: 3 Transport hazard class(es) Packing group : 111 Classification Code : F1 Hazard identification No : 30 Packing instruction (LQ) : LQ7 : 5.00 L Limited Quantity (LQ) Inner

Packaging

Labels : 3 : (D/E) Tunnel restriction code Environmentally hazardous : yes

IATA

UN number : 3295

Description of the goods : HYDROCARBONS, LIQUID, N.O.S., Naphtha (petroleum),

hydrotreated heavy; Low boiling point thermally cracked naph-

according to Regulation (EC) No. 1907/2006

Chemetall

Ardrox 3140

Version: 5.0 Revision Date 04.06.2013 Print Date 04.06.2013

tha

Class : 3 Packing group : III : 3 Labels

IATA C

Packing instruction (cargo : 366

aircraft)

Environmentally hazardous : no

IATA P

Packing instruction (passen-: 355

ger aircraft)

Environmentally hazardous : no

IMDG

UN number : 3295

Description of the goods : HYDROCARBONS, LIQUID, N.O.S., Naphtha (petroleum),

hydrotreated heavy; Low boiling point thermally cracked naph-

Class : 3 Packing group : 111

Labels : 3 EmS Number 1 : F-E EmS Number 2 : S-D Marine pollutant : yes

RID

UN number : 3295

: HYDROCARBONS, LIQUID, N.O.S., Naphtha (petroleum), Description of the goods

hydrotreated heavy; Low boiling point thermally cracked naph-

Transport hazard class(es) : 3 : 111 Packing group Classification Code : F1 Hazard identification No : 30 Labels : 3

Packing instruction (LQ) : LQ7 Environmentally hazardous : yes

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

of Very High Concern for

Authorisation

Candidate List of Substances : This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).

according to Regulation (EC) No. 1907/2006



Ardrox 3140

Version: 5.0 Revision Date 04.06.2013 Print Date 04.06.2013

Water contaminating class

(Germany)

: WGK 1 slightly water endangering

VWVWS A4

Other regulations : The product is classified and labelled in accordance with EC

directives or respective national laws.

Regional or national implementations of GHS may not imple-

ment all hazard classes and categories.

15.2 Chemical Safety Assessment

For the lead substance(s) in the mixture, there is no exposure scenario available.

For a mixture it is not mandatory to include an exposure scenario in the material safety data sheet.

The necessary safety - related information is stated in the first 16 sections.

SECTION 16: Other information

Full text of R-phrases referred to under sections 2 and 3

R10 Flammable. R36 Irritating to eyes.

R53 May cause long-term adverse effects in the aquatic environment.

R65 Harmful: may cause lung damage if swallowed.

R66 Repeated exposure may cause skin dryness or cracking.

R67 Vapours may cause drowsiness and dizziness.

Full text of H-Statements referred to under sections 2 and 3.

EUH066 Repeated exposure may cause skin dryness or cracking.

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.

H413 May cause long lasting harmful effects to aquatic life.

Full text of Notas referred to under section 3

according to Regulation (EC) No. 1907/2006

Chemetall

Ardrox 3140

Version: 5.0 Revision Date 04.06.2013 Print Date 04.06.2013

Nota H The classification and label shown for this substance applies to the

dangerous property(ies) indicated by the risk phrase(s) in combination with the category(ies) of danger shown. The manufacturers, importers and downstream users of this substance shall be obliged to carry out an investigation to make themselves aware of the relevant and accessible data which exists for all other properties to classify and label the substance. The final label shall follow the requirements of section 7 of An-

nex VI of this Directive.

Nota P The classification as a carcinogen or mutagen need not apply if it can

be shown that the substance contains less than 0,1 % w/w benzene (Einecs No 200-753-7). When the substance is classified as a carcinogen or mutagen, Note E shall also apply. When the substance is not classified as a carcinogen or mutagen at least the S-phrases (2-)23-24-62 shall apply. This note applies only to certain complex oil-derived

substances in Annex I.

Further information

The information provided is based on our current knowledge and experience and apply to the product as delivered. Regarding the product properties, these are not guaranteed. The delivery of this safety datasheet does not free the recipient of the product from his own responsibility to follow the relevant rules and regulations concerning this product.