

Version 1.2	ersion 1.2 Revision Date 12/29/2015 Prin		Print Date 12/29/2015	
SECTION 1. PRODUCT AND COMPANY IDENTIFICATION				
Product name	:	ARDROX <sup>®</sup> AV 8 AEROSOL		
Substance number	:	REL_10465A		
Chemical usage	:	Cleaning Compound, Corrosion inhibito	r	
Manufacturer or supplier's details				
Company	:	Chemetall US, Inc.		
Telephone Telefax	:	675 Central Avenue New Providence NJ 07974 (800) 526-4473 (908) 464-4658 CHEMTREC - 800-424-9300, 1-703-52	7-3887 (International)	

## SECTION 2. HAZARDS IDENTIFICATION

### **Emergency Overview**

Appearance	Aerosol containing a compressed gas
Colour	light brown
Odour	solvent-like
Hazard Summary	Flammable/Combustible! Harmful by inhalation and if swallowed. Causes irritation of eyes and skin. drying, irritation and dermatitis. Contents under pressure.
GHS Classification	
Flammable aerosols	: Category 2
Gases under pressure	: Compressed gas
Eye irritation	: Category 2B
GHS Label element Hazard pictograms	
Signal word	: Warning
Hazard statements	: Flammable aerosol.



## ARDROX<sup>®</sup> AV 8 AEROSOL

Version 1.2	Revision Date 12/29/2015	Print Date 12/29/2015
	Contains gas under pressure; m Causes eye irritation.	ay explode if heated.
Precautionary statements	<ul> <li>Prevention: Keep away from heat, hot surface other ignition sources. No smokin Do not spray on an open flame of Pressurized container: Do not pi Wash skin thoroughly after hand Response: IF IN EYES: Rinse cautiously with Remove contact lenses, if present rinsing. If eye irritation persists: Get med Storage: Protect from sunlight. Do not exp exceeding 50 °C/ 122 °F.</li> </ul>	ng. or other ignition source. erce or burn, even after use. lling. th water for several minutes. ht and easy to do. Continue lical advice/ attention.
Potential Health Effects		
Inhalation	: yes	
Skin	: yes	
Ingestion	: yes	
Aggravated Medical Condition	: None known.	
Carcinogenicity:		
IARC	No component of this product prese equal to 0.1% is identified as probal human carcinogen by IARC.	
ACGIH	Confirmed animal carcinogen with u humans	inknown relevance to
	Aliphatic mineral spirits	64742-88-7
	Cyclohexanone	108-94-1
OSHA	No component of this product prese equal to 0.1% is identified as a carc carcinogen by OSHA.	
ΝΤΡ	No component of this product prese equal to 0.1% is identified as a know by NTP.	

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

:

Substance / Mixture

#### Hazardous components



Version 1.2

Revision Date 12/29/2015

Print Date 12/29/2015

Component	CAS-No.	Weight percent
1,1,1,2-Tetraflouroethane	811-97-2	30 - 50
Hydrotreated heavy naptha	64742-48-9	30 - 50
Aliphatic mineral spirits	64742-88-7	1 - 5

Unidentified ingredients are considered not hazardous under Federal Hazard Communication Standard (29CFR 1910.1200).

Specific chemical identity of composition has been withheld as a trade secret.

Exact percentage of composition has been withheld as a trade secret.

### **SECTION 4. FIRST AID MEASURES**

If inhaled	<ul> <li>Remove to fresh air.</li> <li>If symptoms persist, call a physician.</li> <li>If breathing is irregular or stopped, administer artificial respiration.</li> </ul>
In case of skin contact	<ul> <li>Wash off immediately with plenty of water for at least 15 minutes.</li> <li>Get medical attention if irritation develops and persists</li> </ul>
In case of eye contact	<ul> <li>Rinse immediately with plenty of water for at least 15 minutes.</li> <li>Keep eye wide open while rinsing.</li> <li>Seek medical advice.</li> </ul>
If swallowed	: Rinse mouth. Drink plenty of water. Obtain medical attention.

## SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Foam Carbon dioxide (CO2) Dry chemical
Further information	: Closed containers may explode when exposed to heat. Use water spray to cool unopened containers.
Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition.
Methods and materials for containment and cleaning up	:	Ventilate area. Remove all heat and ignition sources. Clean up with inert absorbant material. Keep in suitable, closed containers for disposal.



## ARDROX<sup>®</sup> AV 8 AEROSOL

Version 1.2	Revision Date 12/29/2015	Print Date 12/29/2015
	Flush with plenty of water.	
Additional advice	: Never return spills in original contai	ners for re-use.
SECTION 7. HANDLING AND STORAGE		

Advice on safe handling	: Use only with adequate ventilation. Aviod breathing vapors, mist or gas.
Conditions for safe storage	<ul> <li>Keep containers dry and tightly closed to avoid moisture absorption and contamination.</li> <li>Store indoors in a cool, well-ventilated place</li> <li>Keep away from open flames, hot surfaces and sources of ignition.</li> <li>Keep container out of sun and away from heat.</li> </ul>

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
1,1,1,2-Tetraflouroethane	811-97-2	TWA	1,000 ppm	US WEEL
Hydrotreated heavy naptha	64742-48-9	TWA	500 ppm 2,000.000000 mg/m3	OSHA Z-1
		TWA	400 ppm 1,600.000000 mg/m3	OSHA P0
Aliphatic mineral spirits	64742-88-7	TWA	500 ppm 2,000.000000 mg/m3	OSHA Z-1
		TWA	200.000000 mg/m3 (as total hydrocarbon vapor)	ACGIH
		TWA	400 ppm 1,600.000000 mg/m3	OSHA P0
Cyclohexanone	108-94-1	TWA	20 ppm	ACGIH
		STEL	50 ppm	ACGIH
		TWA	25 ppm 100.000000 mg/m3	NIOSH REL
		TWA	50 ppm 200.000000 mg/m3	OSHA Z-1
		TWA	25 ppm 100.000000	OSHA P0

## Components with workplace control parameters



sion 1.2	Revision Date 12/29/2015 Print Date 12/2	29/2015
	mg/m3	
Personal protective equipmer	nt	
Respiratory protection	: If occupational exposure limits are exceeded, proper co and protection measures should be implemented.	ntrol
Hand protection Remarks	: Impervious gloves	
Eye protection	: Safety glasses with side-shields	
Skin and body protection	: Rubber or plastic apron	
Hygiene measures	<ul> <li>Avoid contact with skin, eyes and clothing. Wear suitable gloves and eye/face protection. Wear suitable protective clothing. Wash hands before breaks and immediately after handl product.</li> <li>Provide adequate ventilation. Do not inhale fumes. Keep away from food and drink.</li> </ul>	ing the

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Aerosol containing a compressed gas
Colour	: light brown
Odour	: solvent-like
pH	: no data available
Freezing point	: no data available
Boiling point/boiling range	: not applicable
Flash point	: 41 °C
Evaporation rate	: GLP: No information available.
Upper explosion limit	: 7.00 %(V)
Lower explosion limit	: 0.60 %(V)
Relative density	: 0.89
Bulk density	: 7.41 lb/gal
Solubility(ies)	
Water solubility	: insoluble
Partition coefficient: n- octanol/water	: no data available
Auto-ignition temperature	: > 200 °C
Thermal decomposition	: No data available



Version 1.2	Revision Date 12/29/2015	Print Date 12/29/2015

Viscosity, dynamic

: No data available

## SECTION 10. STABILITY AND REACTIVITY

Possibility of hazardous reactions	: Vapours may form explosive mixture with air.
Conditions to avoid	: Heat, flames and sparks. Exposure to sunlight.
Incompatible materials	: Strong oxidizing agents
Hazardous decomposition products	: Carbon monoxide Carbon dioxide (CO2) Fluorocarbons Sulphur oxides

### SECTION 11. TOXICOLOGICAL INFORMATION

SECTION TI. TOXICOEOGICAL INFORMATION			
Acute toxicity			
Components:			
<b>1,1,1,2-Tetraflouroethane:</b> Acute inhalation toxicity	: LC50 rat: 1500 g/m3 Exposure time: 4 h		
Hydrotreated heavy naptha: Acute oral toxicity	: LD50 rat: > 10,000.000000 mg/kg		
Acute dermal toxicity	: LD50 rat: > 3,160.000000 mg/kg		
Skin corrosion/irritation			
no data available			
Serious eye damage/eye irritation			
Components:			
Hydrotreated heavy naptha: Result: Mild eye irritation			
Respiratory or skin sensitisation			
no data available			
Germ cell mutagenicity			

no data available

Carcinogenicity



Version 1.2	Revision Date 12/29/2015	Print Date 12/29/2015

no data available

#### **Reproductive toxicity**

no data available

#### STOT - single exposure

no data available

#### STOT - repeated exposure

no data available

#### Aspiration toxicity

no data available

#### **SECTION 12. ECOLOGICAL INFORMATION**

#### Ecotoxicity

#### no data available Bioaccumulative potential

#### Product:

Partition coefficient: n- octanol/water <u>Components:</u> 1,1,1,2-Tetraflouroethane :	:	Remarks: no data available
Partition coefficient: n- octanol/water	:	log Pow: 1.06 (25 °C) Method: OECD Test Guideline 107

#### Other adverse effects

### SECTION 13. DISPOSAL CONSIDERATIONS

#### **Disposal methods**

Waste from residues : Refer to all federal, provincial, state and local regulation prior to disposition of container and unused contents by reuse, recycle or disposal.

#### **SECTION 14. TRANSPORT INFORMATION**

#### International regulation

UN1950, Aerosol, Flammable, 2.1, "LTD QTY"

#### **National Regulations**

UN1950, Aerosol, Flammable, 2.1, "LTD QTY"



## 4

		expect more -		
RDROX® AV 8 A	EROSOL			
Version 1.2	Revision Date 12/29/2015	Print Date 12/29/2015		
ECTION 15. REGULAT	DRY INFORMATION			
TSCA Status	: All components of this material comply with US TSCA requirements.			
OSHA Hazards WHMIS Classification	<ul> <li>Compressed Gas, Mild eye irritant</li> <li>cation : D2B: Toxic Material Causing Other Toxic Effects</li> </ul>			
EPCRA - Emergency	y Planning and Community Right-to-Know Ac	t		
Cyclohexanone	108-94-1 5,000			
SARA 311/312 Haza	rds : Sudden Release of Pressure Hazard			
SARA 302		: SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.		
SARA 313	established by SARA Title III, Section	•		
US State Regulation	S			
Massachusetts Righ	it To Know			
	No components are subject to the Ma Know Act.	assachusetts Right to		
Pennsylvania Right	To Know			
Hydr Napl Orga Lanc Aliph	antha (petroleum) light steam-cracked68anic acid and barium soap25blin8	811-97-2 4742-48-9 3131-99-7 5619-56-1 3006-54-0 4742-88-7 108-94-1		


## New Jersey Right To Know

1,1,1,2-Tetraflouroethane	811-97-2
Hydrotreated heavy naptha	64742-48-9
Naphtha (petroleum) light steam-cracked	68131-99-7
Organic acid and barium soap	25619-56-1
Calcium dinonylnaphthalene sulfonate	57855-77-3



## ARDROX<sup>®</sup> AV 8 AEROSOL





HMIS III:



0 = not significant, 1 =Slight, 2 = Moderate, 3 = High

4 = Extreme, \* = Chronic

Safety Glasses, Gloves, Apron

### **SECTION 16. OTHER INFORMATION**

#### **Further information**

Version 1.2 Revision Date 12/29/2015

Chemetall US, Inc. warrants that the products described herein will conform with its published specifications.

The products supplied by Chemetall and information related to them are intended for use by buyers having necessary industrial skill and knowledge. Buyers should undertake sufficient verification and testing to determine the suitability of the Chemetall materials for their own particular purpose. Since buyer's conditions of use of products are beyond Chemetall's control, Chemetall does not warrant any recommendations and information for the use of such products. CHEMETALL DISCLAIMS ALL OTHER WARRANTIES INCLUDING THE IMPLIED WARRANTY OF MERCHANTABILITY AND FITNESS FOR ANY PARTICULAR PURPOSE IN CONNECTION WITH THE USE OF ITS PRODUCTS.